CLAIMS

What is claimed is:

1	1/	A method for converting code values between applications, the method comprising
2		the steps of:
3		generating first data that associates a first field with a plurality of code conversion
4		rules;
5		generating second data that, for each conversion rule of said plurality of code
6		conversion rules, associates the conversion rule with criteria for applying the
7		conversion rule, wherein said criteria is based on one or more other fields
8		other than said first field;
8 9 10		receiving a first code for the first field and zero or more codes for the one or more
10		other fields;
11		inspecting said first data and said second data to determine which particular code
11 12 13 14		conversion rule of said plurality of code conversion rules should be applied
13		based on:
≟ ≟ 14		the zero or more codes, and
15		the criteria associated with each conversion rule of said plurality of code
16		conversion rules; and
17		converting said first code based on the particular code conversion rule that should be
18		applied to convert said first code.
1	2.	The method of Claim 1, further including the steps of:
2		storing third data that associates a second field with said plurality of code conversion
3		rules;
4		receiving a second code for the second field and zero or more other codes for the one
5		or more other fields; and

verting said second code based on a particular code conversion rule of said
plurality of code conversion rules that should be applied to convert said
second code.
•

9

1

2

1

2

3

4

5

6

7

1

2

- 3. The method of Claim 1, wherein the step of converting said first code further includes converting said first code into a plurality of one or more other codes.
- 4. The method of Claim 2, wherein:
 - the method further includes the step of establishing a plurality of code conversion

 categories associated with multiple code conversion rules, wherein said

 plurality of code conversion categories includes a particular code conversion

 category that is associated with said plurality of code conversion rules;

 said first data associates said first field with said plurality of code conversion rules by

 associating said particular code conversion category with said first field; and

 said third data associates said second field with said plurality of code conversion rules

 by associating said particular code conversion category with said second field.
- 5. The method of Claim 1, further including the step of receiving user input that specifies, for a particular conversion rule of said plurality of code conversion rules, the one or more other fields to associate with said criteria.
- The method of Claim 1, wherein the criteria associated with each conversion rule of said plurality of code conversion rules specifies a value for a field of said one or more other fields.
- The method of Claim 6, wherein the step of determining which particular code
 conversion rule should be applied further includes determining, for a given

1

2

1

2

3

5

10/

3	conversion rule of said plurality of code conversion rules, whether a particular value
4	specified by the criteria associated with the given conversion rule matches a
5	respective code from said zero or more codes.

- 1 8. The method of Claim 6, wherein the step of determining which code conversion rule
 2 should be applied further includes determining which conversion rule of said plurality
 3 of code conversion rules specifies the greatest of number of values matched by a
 4 respective code from said zero or more other codes.
 - 9. The method of Claim 1, wherein each code conversion rule specifies an internal code and at least one external code.
 - A method for converting codes between applications, the method comprising the steps of:
 - establishing a plurality of code conversion categories;
 - storing first data that associates each code conversion category of said plurality of code conversion categories with:
- 6 one or more conversion rules, and
- 7 a plurality of fields defined by an application;
- wherein said plurality of code conversion categories includes a particular code

 conversion category that is associated with at least a first field and a second

 field;
- receiving a first code associated with said first field;
- inspecting said first data to determine that the first field has been associated with said
 particular code conversion category from said plurality of code conversion
- 14 categories;

	15		in response to determining that the first field has been associated with said particular
	16		code conversion category, then:
	17		determining which particular code conversion rule associated with said
	18		particular code conversion category should be applied to the first code,
	19		and
	20		converting said first code into one or more external codes based on the
	21		particular code conversion rule that should be applied to the first code;
	22		receiving a second code associated with said second field;
	23		inspecting said first data to determine that the second field has been associated with
U U	24		the particular code conversion category; and
	25		in response to determining that the second field has been associated with the
(T	26		particular code conversion category, then:
Ü M	27		determining which particular code conversion rule associated with said
a Hall Green Halls in	28		particular code conversion category should be applied to the second
	29		code, and
	30		converting said second code into another code based on the particular code
ļ	31		conversion rule that should be applied to the second code.
	1	11.	The method of Claim 9, wherein the step of converting said first code further includes
	2		converting said first code into a plurality of one or more other codes.
	-		
	1	12/	A computer-readable medium carrying one or more sequences of instructions for

converting code values between applications, wherein execution of the one or more

sequences of instructions by one or more processors causes the one or more

processors to perform the steps of:

2

3

5		generating first data that associates a first field with a plurality of code conversion
6		rules;
7		generating second data that, for each conversion rule of said plurality of code
8		conversion rules, associates the conversion rule with criteria for applying the
9		conversion rule, wherein said criteria is based on one or more other fields
10		other than said first field;
11		receiving a first code for the first field and zero or more codes for the one or more
12		other fields;
13		inspecting said first data and said second data to determine which particular code
14 15 16 17		conversion rule of said plurality of code conversion rules should be applied
15		based on:
16		the zero or more codes, and
ս ր 17		the criteria associated with each conversion rule of said plurality of code
18		conversion rules; and
19		converting said first code based on the particular code conversion rule that should be
18 19 19 20		applied to convert said first code.
1	13.	The computer-readable medium of Claim 12, further including instructions for
2		performing the steps of:
3		storing third data that associates a second field with said plurality of code conversion
4		rules;
5		receiving a second code for the second field and zero or more other codes for the one
6		or more other fields; and
7		converting said second code based on a particular code conversion rule of said
8		plurality of code conversion rules that should be applied to convert said
9		second code.

1	14.	The computer-readable medium of Claim 12, wherein the step of converting said first
2		code further includes converting said first code into a plurality of one or more other
3		codes.
1	15.	The computer-readable medium of Claim 13, wherein:
2		the computer-readable medium further includes instructions for performing the step
3		of establishing a plurality of code conversion categories associated with
4		multiple code conversion rules, wherein said plurality of code conversion
5		categories includes a particular code conversion category that is associated
6	٠	with said plurality of code conversion rules;
7		said first data associates said first field with said plurality of code conversion rules by
8		associating said particular code conversion category with said first field; and
9		said third data associates said second field with said plurality of code conversion rules
10		by associating said particular code conversion category with said second field.
1	16.	The computer-readable medium of Claim 12, further including instructions for
2		performing the step of receiving user input that specifies, for a particular conversion
3		rule of said plurality of code conversion rules, the one or more other fields to
4		associate with said critéria.
1	17.	The computer-readable medium of Claim 12, wherein the criteria associated with each
2		conversion rule of said plurality of code conversion rules specifies a value for a field
3		of said one or more other fields.
1	18.	The computer-readable medium of Claim 17, wherein the step of determining which
2		particular code conversion rule should be applied further includes determining, for a

given conversion rule of said plurality of code conversion rules, whether a particular

value specified by the criteria associated with the given conversion rule matches a

13

14

15

16

4

5		respective code from said zero or more codes.
1	19.	The computer-readable medium of Claim 17, wherein the step of determining which
2		code conversion rule should be applied further includes determining which conversion
3		rule of said plurality of code conversion rules specifies the greatest of number of
4		values matched by a respective code from said zero or more other codes.
1	20.	The computer-readable medium of Claim 12, wherein each code conversion rule
2		specifies an internal code and at least one external code.
1	21/	A computer-readable medium carrying one or more sequences of instructions for
2		converting code values between applications, wherein execution of the one or more
3		sequences of instructions by one or more processors causes the one or more
4		processors to perform the steps of:
5		establishing a plurality of code conversion categories;
6		storing first data that associates each code conversion category of said plurality of
7		code conversion categories with:
8		one or more conversion rules, and
9		a plurality of fields defined by an application;
10		wherein said plurality of code conversion categories includes a particular code
11		conversion category that is associated with at least a first field and a second
12		field;

receiving a first code associated with said first field;

inspecting said first data to determine that the first field has been associated with said

particular code conversion category from said plurality of code conversion

categories;

1 /		in response to determining that the first field has been associated with said particular
18		code conversion category, then:
19		determining which particular code conversion rule associated with said
20		particular code conversion category should be applied to the first code,
21		and
22		converting said first code into one or more external codes based on the
23		particular code conversion rule that should be applied to the first code;
24		receiving a second code associated with said second field;
25		inspecting said first data to determine that the second field has been associated with
26		the particular code conversion category; and
26 27 27 28 29		in response to determining that the second field has been associated with the
∄ 28		particular code conversion category, then:
.u In 29		determining which particular code conversion rule associated with said
□ 30		particular code conversion category should be applied to the second
TU 급 31		code, and
30 31 31 32		converting said second code into another code based on the particular code
^{‡±} 33		conversion rule that should be applied to the second code.
1	22.	The computer-readable medium of Claim 20, wherein the step of converting said first

code further includes converting said first code into a plurality of one or more other

codes.

2